BlendMax


JUICE DISPENSER







FEATURES



BPA FREE & REMOVABLE TANK



Built with a BPA-free, food-grade, and removable polycarbonate tank bowl for reliable use and hasslefree maintenance.



Accommodates glasses or cups up to 20.5 cm in height for versatile serving options.



Operates with a high-quality compressor that ensures low noise levels of less than 55dB. 02 STAINLESS STEEL EVAPORATORS

Engineered with grade 304 stainless steel evaporator and valve for superior performance and longevity.

05 SLEEK DESIGN

Designed with a sleek stainless steel front panel.



Equipped with a reliable and durable jet-type system to maintain the optimal taste of juice.





Constructed with an ABS plastic exterior body, known for its durability, impact resistance, and excellent electrical insulation.

06 EASY-TO -CLEAN DRIP TRAYS



Includes easy-to-clean stainless steel drip trays for added convenience.

PRECISE TEMPERATURE CONTROL



Installed with manual temperature controls, allowing individual temperature adjustment for each bowl.



SPECIFICATIONS







BMJD-1

BMJD-2

BMJD-3

Model	BMJD-1	BMJD-2	BMJD-3
External Dimension WxDxH (mm)	224x445x655	424x445x655	624x445x655
Tank Quantity	1	2	3
Capacity in Liters	12	12x2	12x3
Temperature Range (°C)	+3 ~ +8	+3 ~ +8	+3 ~ +8
Power (W)	346	372	558
Voltage (V)	220~240	220~240	220~240
Frequency (Hz)	50/60	50/60	50/60
Current (A)	2.1	2.5	3.4
Environment Temperature (°C)	+16~ +32	+16~ +32	+16~ +32
Refrigerant Type	R134a	R134a	R134a
Refrigerant Amount (g)	70	115	170
Packing Dimensions WxDxH (mm)	340x540x720	540x540x720	740x540x720
Net Weight (Kg)	20	28	36
Packing Weight (Kg)	22	31	40
Plug Requirement	Type G (British Plug)	Type G (British Plug)	Type G (British Plug)
Drain connection	N/A	N/A	N/A
Water Connection	N/A	N/A	N/A

SHOP DRAWING

